



## SL 38 Casement and Awning Window





## System Overview: Casement & Awning

Tiltco Architectural Products is proud to introduce the latest addition to our window solutions—a new casement and awning variation of the SL 38 Window System. This new window system combines a sleek aesthetics with top-tier performance.

Building on the proven excellence of the SL 38 Classic Window System, this innovative design maintains the same combination of performance and design flexibility while offering a fresh architectural look. The SL 38 Casement and Awning Window System is the optimal solution for projects that demand ultra-slim sightlines without compromising on insulation and durability.


The SL 38 Casement and Awning Window System has been developed to meet the needs of the architectural and design community for a high-performance outward opening window system. Designed to seamlessly accommodate crank-out hardware, it allows for effortless operation while ensuring a mosquito screen can be mounted to the interior—delivering both convenience and year-round comfort.

This SL 38 Casement and Awning sets a new standard for North American window design as it perfectly blends aesthetics and cutting-edge functionality.

- 1. Minimal frame dimensions.
- 2. 1 9/16" (40mm) polyamide thermal break.
- 3. EPDM high performing main gasket seal.
- 4. Frame depth for glass thickness up to 50mm (2").
- 5. Multiple frame and sash design options.
- 6. Roto crank casement handle.
- 7. 105 mm jamb depth







## Details

## MAIN FRAME PROFILE

